

FUJITSU



DUCTED HEATING AND  
COOLING SOLUTIONS

# QUALITY MEETS COMFORT

Fujitsu General has a long history of providing innovative products to improve home comfort. We've taken feedback from homeowners and industry professionals...added our high level of expertise, reliability, and support that we are known for worldwide...the result is a new unitary line of equipment that provides the ultimate in comfort, flexibility and efficiency.

## AIR CONDITIONERS



### FO\*20C

- Cooling Efficiencies up to 20 SEER/13EER
- Inverter-driven Scroll™ Compressor
- Nominal Sizes: 2, 3, 4, & 5 Ton

#### Limited Warranty\*\*:

- Conditional Unit Replacement\*\*: 5 Years
- Parts: 10 Years



### FO\*17C

- Cooling Efficiencies up to 17 SEER/13EER
- Two-Stage Scroll™ Compressor
- Nominal Sizes: 2, 3, 4, & 5 Ton

#### Limited Warranty\*\*:

- Conditional Unit Replacement\*\*: 5 Years
- Parts: 10 Years



### FO\*17C

- Cooling Efficiencies up to 17 SEER/13EER
- Two-Stage Scroll™ Compressor
- Nominal Sizes: 2, 3, 4, & 5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years



### FO\*16C

- Cooling Efficiencies up to 16 SEER/13EER
- Dependable & Durable Scroll® Compressor
- Nominal Sizes: 1.5–5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years



### FO\*14C

- Cooling Efficiencies up to 16 SEER/13EER
- Dependable & Durable Scroll® Compressor
- Nominal Sizes: (F014C) 1.5 - 5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years



### FO\*13C

- Cooling Efficiencies up to 15.5 SEER/13 EER
- Dependable & Durable Scroll® Compressor
- Nominal Sizes: 1.5–5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years

## HEAT PUMPS



### FO\*20R

- Cooling Efficiencies up to 20 SEER/13EER
- Inverter-driven Scroll™ Compressor
- Nominal Sizes: 2, 3, 4, & 5 Ton

#### Limited Warranty\*\*:

- Conditional Unit Replacement\*\*: 5 Years
- Parts: 10 Years



### FO\*16R

- Cooling Efficiencies up to 15 SEER/12.5 EER
- Heating Efficiencies up to 9.0 HSPF
- Two-Stage Scroll™ Compressor
- Nominal Sizes: 1.5–5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years



### FO\*15R

- Cooling Efficiencies up to 15 SEER/12.5 EER
- Heating Efficiencies up to 9.0 HSPF
- Dependable & Durable Scroll Compressor
- Nominal Sizes: 1.5–5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years



### FO\*14R

- Cooling Efficiency: 14 SEER /11.5 EER
- 14.5 SEER/12 EER (F Series)
- Heating Efficiencies up to 9.0 HSPF
- Dependable & Durable Scroll Compressor
- Nominal Sizes: 1.5–5 Ton

#### Limited Warranty\*\*:

- Parts: 10 Years

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit energystar.gov.

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

## ULTRA HIGH EFFICIENCY GAS FURNACES



### FF\*\*\*LM98

- 98% AFUE Ratings
- Input Rates from 60 to 115 KBTU
- Diagnostics
- Direct Spark Ignition System
- Ignition System
- Water Management System
- Modulating operation provides superior comfort, indoor air quality and consistent temperature
- Variable speed motor saves energy and provides ultimate humidity control

#### Limited Warranty\*\*:

- Conditional Unit Replacement\*\*: 5 Years
- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



### FF\*\*\*LM97

- 97% AFUE Ratings
- Input Rates from 60 to 115 KBTU
- Diagnostics
- Direct Spark Ignition System
- Ignition System
- Water Management System
- Modulating operation provides superior comfort, indoor air quality and consistent temperature
- Variable speed motor saves energy and provides ultimate humidity control

#### Limited Warranty\*\*:

- Conditional Unit Replacement\*\*: 5 Years
- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



### FF\*\*\*LT96

- 4-way multi-position design
- 96% AFUE Ratings
- Input Rates from 40 to 115 KBTU
- Diagnostics
- Direct Spark Ignition System
- Water Management System
- 2-stage gas valve operation provides superior comfort and consistent temperatures
- Variable speed motor saves energy and provides ultimate humidity control

#### Limited Warranty\*\*:

- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



### FF\*\*\*TT96

- 4-Way Multi-Position Design
- 96% AFUE Ratings
- Constant Torque electrically commutated motor
- Diagnostics
- Direct Spark Ignition System
- Water Management System
- 2-stage gas valve operation provides superior comfort and consistent temperatures

#### Limited Warranty\*\*:

- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



### FF\*\*\*PT96

- 4-Way Multi-Position Design
- 96% AFUE Ratings
- PSC blower motor
- Diagnostics
- Direct Spark Ignition System
- Water Management System
- 2-stage gas valve operation provides superior comfort and consistent temperatures

#### Limited Warranty\*\*:

- Parts: 10 Years
- Heat Exchanger: Limited Lifetime



### FF\*\*\*TS95

- 4-Way Multi-Position Design
- 95% AFUE Ratings
- Constant Torque electrically commutated motor
- Diagnostics
- Direct Spark Ignition System
- Water Management System

#### Limited Warranty\*\*:

- Parts: 10 Years
- Heat Exchanger: Limited Lifetime

## HIGH EFFICIENCY GAS FURNACES



### FF\*\*\*TS92

- 4-Way Multi-Position Design
- 92% AFUE Ratings
- Constant Torque electrically commutated motor
- Diagnostics
- Direct Spark Ignition System
- Water Management System

#### Limited Warranty\*\*:

- Parts: 10 Years
- Heat Exchanger: 20 Years

## INDOOR COILS



### FCC

- Cased Aluminum Coil
- Gas Furnace Application
- Thermostatic Expansion Valve (TXV) or Electronic Expansion Valve (EEV)


#### Limited Warranty\*\*:

- Parts: 10 Years

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit energystar.gov.

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

STANDARD EFFICIENCY GAS FURNACES



**FF\*\*\*LT80**

- 80% AFUE Ratings
- Upflow/Horizontal or Downflow Models
- Input Rates: 50–150 kBtu
- Diagnostics
- Direct Spark Ignition System
- Variable Speed ECM Motor
- Also available in Low-NOx

**Limited Warranty\*\*:**

- Conditional Parts: 10 Years
- Heat Exchanger: 20 Years



**FF\*\*\*TS80Z**

- 80% AFUE Ratings
- Upflow/Horizontal or Downflow Models
- Input Rates: 50–150 kBtu
- Diagnostics
- Direct Spark Ignition System
- Constant Torque Electrically Commutated Motor
- Southern California Air Quality Management District NOx compliant (no mitigation fee)

**Limited Warranty\*\*:**

- Parts: 10 Years
- Heat Exchanger: 20 Years



**FF\*\*\*TS80**

- 80% AFUE Ratings
- Upflow/Horizontal or Downflow Models
- Input Rates: 50–150 kBtu
- Diagnostics
- Direct Spark Ignition System
- Constant Torque Electrically Commutated Motor
- Also available in Low-NOx

**Limited Warranty\*\*:**

- Parts: 10 Years
- Heat Exchanger: 20 Years



**FF\*\*\*CS80**

- 80% AFUE Ratings
- Upflow/Horizontal or Downflow Models
- Input Rates: 50–150 kBtu
- Diagnostics
- Direct Spark Ignition System
- Constant Torque Motor
- Also available in Low-NOx

**Limited Warranty\*\*:**

- Parts: 10 Years
- Heat Exchanger: 20 Years



**FF\*\*\*TT80**

- 80% AFUE Ratings
- Upflow/Horizontal or Downflow Models
- Input Rates: 50–150 kBtu
- Diagnostics
- Direct Spark Ignition System
- Constant Torque Motor
- 2-stage gas valve operation provides superior comfort and consistent temperatures
- Also available in Low-NOx

**Limited Warranty\*\*:**

- Parts: 10 Years
- Heat Exchanger: 20 Years

AIR HANDLERS



**FH\*\*ELV**

- Variable Speed Airflow
- Modulating Refrigerant Circuiting
- Aluminum Coil
- Electronic Expansion Valve (EEV)

**Limited Warranty\*\*:**

- Conditional Parts\*\*: 10 Years



**FH\*\*TLT**

- Variable Speed Airflow
- Two-Stage Refrigerant Circuiting
- Aluminum Coil
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Conditional Parts\*\*: 10 Years



**FH\*\*TTT**

- Constant Torque Airflow
- Two-Stage Refrigerant Circuiting
- Aluminum Coil
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Conditional Parts\*\*: 10 Years



**FH\*\*TTS**

- Constant Torque Airflow
- Single-Stage Refrigerant Circuiting
- Aluminum Coil
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Parts: 10 Years



**FH\*\*TPS**

- PSC Air flow
- Single-Stage Refrigerant Circuiting
- Aluminum Coil
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Parts: 10 Years



**FR\*\*TTS**

- Constant Torque Airflow
- Front or Bottom Return (multi-family)
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Parts: 10 Years



**FB\*\*TTS**

- Constant Torque Airflow
- 35" cabinet height (short air handler)
- Thermostatic Expansion Valve (TXV)

**Limited Warranty\*\*:**

- Parts: 10 Years

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit energystar.gov.

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

# RESIDENTIAL AND BEYOND

Our packaged heating and cooling products are available in a variety of efficiencies to ensure you save energy while meeting your budget needs. Performance is ensured by reliable and quiet scroll compressors which feature less moving parts, microchannel aluminum coil technology which allows for better heat transfer with less refrigerant charge, and robust fan motors that discharge air up and away from your home.

## PACKAGE AIR CONDITIONERS



  
(All Models  
Except  
RACA05060)

### RACA15

- 1 & 3 Phase Models
- Scroll® Compressor
- Micro Channel Coil
- Convertible
- Nominal Sizes: 2 – 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RACA14

- 1 & 3 Phase Models
- Scroll® Compressor
- Micro Channel Coil
- Convertible
- Nominal Sizes: 2 – 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RSPM (14 SEER)

- 1 & 3 Phase Models
- Scroll® Compressor
- Dedicated Horizontal
- Nominal Sizes: 2 – 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RLPN-A/-C (14 SEER)

- 1 & 3 Phase
- -A Electro Mech Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Reheat Option Available
- Nominal Sizes: 3, 4, 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RGECZR

- 1 and 3 Phase
- One-Stage Cooling
- Two-Stage Heating
- Industry Standard Curb

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RACDZT

- Standard VFD and optional Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton
- Industry Standard Curb

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RACDZS

- Optional VFD and Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton
- Industry Standard Curb

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RACDZR

- Single-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & Ton
- Industry Standard Curb

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

15 & 25 Ton



Direct Digital Control

### RLNL -B/-C/-G/-H

- -B 3 Phase Electro Mech Models
- -C/-G/-H 3 Phase DDC Models
- Nominal Sizes:
  - B Models: 15, 17.5 & 20 Ton
  - C Models: 15, 17.5, 20 & 25 Ton
  - G/-H Models: 15, 20 & 25 Ton
- RLNL-G: Reheat models & features VFD Technology
- RLNL-H: includes VFD Technology

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

15 & 20 Ton



7.5 & 10 Ton

### RLRL-C/-H

- 3 Phase DDC Models
- H includes VFD Technology
- Scroll® Compressor
- Nominal Sizes: 15 & 20 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit [energystar.gov](http://energystar.gov).

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

PACKAGE GAS ELECTRIC



**RGEA16**

- Efficiencies up to 16 SEER
- Meets 81% AFUE Standards
- 1 & 3 Phase Models
- Scroll® Compressor
- Convertible
- Micro Channel Coil
- FER-compliant Motor
- Nominal Sizes: 2 – 5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



(All Models Except 15060)

**RGEA15**

- 15 SEER
- Meets 81% AFUE Standards
- 1 & 3 Phase Models
- Scroll® Compressor
- Convertible
- Micro Channel Coil
- FER-compliant Motor
- Nominal Sizes: 2 – 5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



**RGEA14**

- 14 SEER
- Meets 81% AFUE Standards
- 1 & 3 Phase Models
- Scroll® Compressor
- Convertible
- Micro Channel Coil
- FER-compliant Motor
- Nominal Sizes: 2 – 5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



**RKQN-A/-C (15 SEER)**

- 1 & 3 Phase
- -A Electro Mech Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 3,4,5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



**RGEDZT**

- Standard VFD and optional Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



**RGEDZS**

- Optional VFD and Reheat Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year



**RGEDZR**

- Single-Stage Cooling
- Nominal Sizes: 7.5, 8.5, & 10 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year

15 - 25 Ton



Direct Digital Control

**RKNL -B/-C/-H**

- -B 3 Phase Electro Mech Models
- -C/-H 3 Phase DDC Models
- Nominal Sizes:
  - B Models: 15, 17.5 & 20 Ton
  - C Models: 15, 17.5, 20 & 25 Ton
- Reheat models & features VFD Technology
- RKNL-H: Includes VFD Technology

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year

20 Ton



Direct Digital Control

15 Ton

**RKRL-C/-H**

- 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 15 - 20 Ton

**Limited Warranty:**

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit energystar.gov.

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

## PACKAGE HEAT PUMPS



### RQPM (14 SEER)

- 1 & 3 Phase Models
- Scroll® Compressor
- Dedicated Horizontal
- Nominal Sizes: 2 – 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RQPL (14 SEER)

- 1 & 3 Phase Models
- Convertible Airflow
- Scroll® Compressor
- Nominal Sizes: 2 – 4 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RJPL-A/-C (14 SEER)

- 1 & 3 Phase
- -A Electro Mech. Models
- -C 3 Phase DDC Models
- Scroll® Compressor
- Nominal Sizes: 3 – 5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year



### RPHDZS

- Optional VFD Technology
- Two-Stage Cooling
- Nominal Sizes: 7.5, 8.5, 10 & 12.5 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

## PACKAGE DUAL FUEL



### RQPW (14 SEER)

- 1 Phase Models
- Dual Fuel
- Scroll® Compressor
- Constant Torque Motor
- FER-compliant Motor
- Nominal Sizes: 2 – 4 Ton
- Meets 81% AFUE Standard

#### Limited Warranty:

- Compressor – 5 Years
- Heat Exchanger – 10 Years
- Parts – 1 Year

## COMMERCIAL SPLIT AIR CONDITIONERS



6.5 & 7.5 Ton

12.5 - 20 Ton

### RAWL

- Efficiencies up to 11.2 SEER
- 3 Phase Models
- Scroll® Compressor
- Nominal Sizes: 6.5, 7.5, 12.5, 15 & 20 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

## COMMERCIAL SPLIT HEAT PUMP



### RPWL

- Efficiencies up to 11 SEER
- 3 Phase Models
- Scroll® Compressor
- Nominal Sizes: 7.5 & 10 Ton

#### Limited Warranty:

- Compressor – 5 Years
- Parts – 1 Year

## COMMERCIAL SPLIT AIR HANDLERS



### RHGL/RGHN

- 3 Phase Models
- Cooling Operation Only
- Nominal Sizes: 7.5, 10, 15 & 20 Ton

#### Limited Warranty:

- Parts – 1 Year



### RHGM

- 3 Phase Models
- Cooling & Heat Pump Operation Only
- Nominal Sizes: 7.5 & 10 Ton

#### Limited Warranty:

- Parts – 1 Year

\*ENERGY STAR® compliant in certain matched systems. See applicable specification sheets for further details. Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® requirements. Ask your contractor for details or visit energystar.gov.

\*\*Specific conditions apply and online registration is required. Refer to manufacturer product warranty card for standard warranty and specific details.

SEE WHAT  
MORE YOU  
CAN DO...  
WITH FUJITSU!



**FUJITSU**

Fujitsu General America, Inc.  
353 Route 46 West  
Fairfield, NJ 07004  
Toll Free: (888) 888-3424  
Local: (973) 575-0380  
Email: [hvac@fujitsugeneral.com](mailto:hvac@fujitsugeneral.com)  
[www.fujitsugeneral.com](http://www.fujitsugeneral.com)



A subsidiary of  
Fujitsu General Limited